

Why be **kinda safe**?
When you can be

Weigh Safe!



**Weigh
Safe!**
MEASURES TONGUE WEIGHT

Towing ***Peace of Mind***™

2021 Product Catalog

WWW.WEIGH-SAFE.COM





TABLE OF CONTENTS

What is Towing Peace of Mind	Page 4
Why is Proper Tongue Weight Important?.....	Page 5
New Products Coming 2021	Page 6
Safe Load Gooseneck Products	Page 8
True Tow Weight Distribution Hitch	Page 11
Weigh Safe Ball Mount	Page 14
Steel Weigh Safe Ball Mount.....	Page 15
180 Drop Hitch.....	Page 16
Fixed Height & Universal Tow Ball	Page 18
Accessories	Page 19
About Weigh Safe	Page 20
Warranty Information	Page 21
Additional SKUs	Page 22
Promotional & Marketing Material	Page 23



What is Towing Peace of Mind?

Here at Weigh Safe we strive for "Towing Peace of Mind", which is "a mental and emotional calmness while towing, with no worries, fears or stress. When towing this way you can experience a sense of towing safety and increased vehicle and trailer performance". Is that even possible? What is safe towing? Safe towing is understanding, calculating and staying within the specified weight limits of each part of your towing system.

If you have towed anything before, you know that these are valid questions. Choosing to tow is a serious decision that requires our most precise attention to detail. Weigh Safe is committed to manufacturing towing products and tools that provide the required measurements and calculations for your entire towing system.

In November of 2013, we entered the towing industry when we first introduced the now patented trailer hitch ball mount with a built-in scale that measures tongue weight. This first product introduction occurred at the SEMA Show where it won the show's Best New Tools and Equipment Product of the Year.


Since that day, Weigh Safe is the only trailer hitch manufacturer in the United States with patented technology that revolutionized the industry in creating an even more important demand for safety and performance. We are also proud to be a MADE IN THE USA manufacturing facility located in Lindon, Utah, with experts in mechanical, manufacturing, electrical engineering, and precision hands-on design and machining. Our product development and manufacturing team continues to innovate in the development of products in ALL towing categories, along with new innovative towing accessories. Why be kinda safe when you can be Weigh Safe?!

Thank you for your trust in us!

Brandon Doman - President/Co-Owner

Why is Proper Tongue Weight Important?

Towing a trailer with improper tongue weight (the static force the trailer tongue exerts on the hitch/tow ball) would feel nearly the same as driving with egg-shaped tires. You have little to no control of your vehicle, let alone the trailer you are towing. It puts everyone around you at risk, which is why knowing your tongue weight and making sure it is within 10-15% of your gross trailer weight (GTW) is so important.




Perfect Tongue Weight:

10-15%

If you have less than 10% of your GTW on the tongue of your trailer, you have too little tongue weight which means most of your load is on the back end of your trailer.

Too Little Tongue Weight:

Less than **10%**



This shows that the trailer is not properly loaded. When you have less than 10% tongue weight, trailer sway (or fishtailing) will most likely occur, especially when the vehicle is traveling fast. It is best to properly distribute your load prior to hitting the road and avoid this side-to-side movement from the get go.

If you do start to experience trailer sway while towing, it is best not to hit the brakes. You should first reduce your speed by letting off the gas pedal and make sure your steering wheel is straight. This should reduce the trailer sway and once it has stopped and you are in control again, make sure to pull over and reload your trailer so that your tongue weight is within 10-15% of your GTW.

On the other hand, too much tongue weight means that most of your load is on the front end of your trailer and you exceed 15% of your GTW on the trailer tongue. This looks more like a "V" shape and is sometimes called "jack knife."



Too Much Tongue Weight:

More than **15%**



**SCAN FOR A
DEMONSTRATION**

Too much tongue weight could overload the rear tires of the towing vehicle, pushing the rear end of the vehicle around. When this happens, the vehicle is difficult to control; corners or curves may become more difficult to maneuver and your vehicle may not be as responsive when you try to brake.

Just the right amount of tongue weight (between 10-15% of GTW) will reflect a balanced line from the front of the truck to the back of the trailer with the coupler between the truck and trailer nearly level. If you maintain a proper tongue weight within this range, you will improve your vehicle and trailer towing experience by improving performance and minimizing risk on the road.

COMING SOON

New Products in 2021

SAFE LOAD FIFTH WHEEL HITCH



The Safe Load Fifth Wheel Hitch has built-in dual gauges that measure tongue weight to let you know if you're within the 15-25% range of your GTW. This fifth wheel hitch has a base that is made out of 100% aluminum weighing in between 37-40 pounds making it easy to install and remove from your truck bed. It has a built-in dampening device to minimize forward and aft loads and has a stainless steel tow ball that rests on Nylotron plastic which is self-lubricating so you don't have to use any additional grease or lubricant. The base can hook to a gooseneck tow ball or fifth wheel/ISR rails and it comes with a tool that acts as a wrench to change the hitch height on one side and a key on the other side to unlatch/latch your system so you don't have to climb into the bed of your truck to do so!

RATINGS

25,000 LBS
GROSS TRAILER WT.

6,000 LBS
MAX VERTICAL WT.

WEIGH SAFE PINTLE ATTACHMENT

The Weigh Safe Pintle Attachment is constructed of high-strength carbon steel. The bottom portion is chrome-plated and the latch is a matte black powder coating for corrosion resistance. It has an easy latching system to lock/unlock with a safety clip. This pintle attachment is **ONLY** compatible with our STEEL Weigh Safe Adjustable Drop Hitch. This attachment was designed to be used in the drop position but can also work in the rise position at a maximum height of 5".



RATINGS

18,500 LBS
GROSS TRAILER WT.
WITH 2.5" SHANK

12,500 LBS
GROSS TRAILER WT.
WITH 2" SHANK

COMING SOON

New Products in 2021

ANTI-RATTLE RECEIVER REDUCER



The Weigh Safe Anti-Rattle Receiver Reducer is an all in one anti-rattle device and receiver reducer. This reduces receiver sizes from a 2.5" receiver size to a 2" receiver size and has an anti-rattle device built right on to the reducer to minimize rattling or thumping while towing. This helps give you a safer, smoother and quieter ride while towing! It can be used both vertically or horizontally depending on your preference.

WEIGH SAFE APP

The Weigh Safe App is an informational tool designed to help people know what their ratings are for their entire towing system, including truck, hitch and trailer. Knowing your limits of your towing application helps you to not exceed any of your ratings and therefore have a much safer and smoother towing experience. This app can be used whether you own a Weigh Safe product or not! If you do own a Weigh Safe product, it gives you the ability to further perfect your towing set up by measuring your tongue weight! The Weigh Safe App is the perfect towing guide for both inexperienced and experienced towers alike!



SAFE LOAD

BW INSERT GOOSENECK BALL

Introducing the first ever gooseneck hitch insert ball that can truly measure your tongue weight (pin load weight). Our Weigh Safe Safe Load BW Insert Gooseneck Ball is made of high-strength stainless steel and is designed to be compatible with the B&W Turnover Gooseneck Hitch.

PLASTIC CARRYING CASE



2-5/16" STAINLESS
STEEL TOW BALL



BUILT-IN GAUGE MEASURES
TONGUE WEIGHT

RUBBER COVER


RATINGS

30,000 LBS
GROSS TRAILER WT.

7,500 LBS
MAX VERTICAL WT.



SCAN FOR
PRODUCT VIDEO



PART #/SKU	GTWR	MAX TONGUE WEIGHT
WSBW	30K	7,500K

***Our BW Insert Safe Load Gooseneck Ball fits all BW Turnoverball hitch models EXCEPT THE FOLLOWING PART NUMBERS: GNXA2006-FOR TOYOTA GNRK1257 & GNXA2005-FOR RAM GNRK1309

SAFE LOAD

OEM GOOSENECK BALL

Introducing the first ever gooseneck hitch OEM ball that can truly measure your tongue weight (pin load weight). Our Weigh Safe Safe Load OEM Gooseneck Ball is made of high-strength stainless steel and is designed to be compatible with OEM puck systems (Ford, Dodge, Nissan, Toyota, Chevy, GMC).



RAM PUCK



FORD, CHEVY, GMC,
TOYOTA, NISSAN PUCK

BUILT-IN GAUGE
MEASURES
TONGUE WEIGHT

RUBBER COVER



2-5/16" STAINLESS
STEEL TOW BALL

KEYS *OPTIONAL TO
MATCH OTHER WEIGH
SAFE LOCKS

RATINGS

30,000 LBS
GROSS TRAILER WT.

7,500 LBS
MAX VERTICAL WT.



PART #/SKU	GTWR	MAX TONGUE WEIGHT
WSOEM	30K	7,500K
PART #/SKU	DESCRIPTION	
WSOEMPU	OEM BALL & (2) GOOSENECK PUCKS- FORD, CHEVROLET, GMC, NISSAN, & TOYOTA.	
WSOEMPR	OEM BALL & (2) GOOSENECK PUCKS-RAM	

SAFE LOAD

ISR GOOSENECK HITCH



2-5/16" STAINLESS
STEEL TOW BALL

BUILT-IN GAUGE MEASURES
TONGUE WEIGHT

HIGH STRENGTH
STAINLESS STEEL
WITH BLACK POWDER
COATED FINISH



INCLUDES
(4) RAIL PINS &
(4) COTTER PINS



RATINGS

30,000 LBS
GROSS TRAILER WT.

7,500 LBS
MAX VERTICAL WT.



SCAN FOR
PRODUCT
VIDEO

PART #/SKU	GTWR	MAX TONGUE WEIGHT
WSISR	30K	7,500K

True Tow Weight Distribution

The Weigh Safe True Tow Weight Distribution system is the first and only weight distribution system that measures vehicular tongue weight & provides exact measurement and force needed to accurately redistribute weight across your towing platform. Not only does it measure and redistribute your weight effectively, it also boasts the simplest and quickest installation process in the industry.



***ONLY COMPATIBLE WITH 3"-6" WIDE TRAILER FRAMES UP TO 2.5" THICK

Shank Sizes & Gross Trailer Weight Ratings



15K Lbs



20K Lbs

Drop Lengths



PRODUCT VIDEO

AVAILABLE SIZES

WEIGH SAFE TRUE



BUILT-IN SCALE

Measures both tongue weight to ensure 10-15% of GTW & distributed tongue weight to truly give you a distributed towing system.



LIVE ADJUSTMENT SYSTEM

Built into the head assembly with an internal pivot point for quicker and easier installation and anytime adjustment.



EASY HEIGHT ADJUSTMENT

Dual Pin Key Lock Assembly provides safety from theft & ease with 1" hole increments for more accurate height adjustment which means no more torquing bolts!



DTW TOOL

DTW (Distributed Tongue Weight) tool application for smartphones or available on our website to set up the highly accurate distributed system by outputting a DTW that the Weigh Safe gauge on the hitch will read when distributed correctly.



SCAN TO DOWNLOAD
THE APP

WDH FULL UNIT SKUS/PART NUMBERS

PART # (SKU)	DROP	SHANK	MAX GTW	DESCRIPTION
WSWD6-2 (Master Part) WDSL2 (Box 1) WDBSMLA (Box 2) WDDb6-2 (Box 3) WDHW2 (Box 4)	6"	2"	15,000 LBS	Weigh Safe Weight Distribution System with Tongue Weight Gauge Weight Distribution Slider for 2" Shank Drawbar (includes SWS03) 2 x Weight Distribution Small Bars for 2 inch Slider w/ (1) Lift Arm Weight Distribution 6 inch Drop 2 inch Shank Drawbar Weight Distribution Hardware, 2 x A-Frame Brackets, 2-5/16" Tow Ball
WSWD6-2.5 (Master Part) WDSL2.5 (Box 1) WDBLGLA (Box 2) WDDb6-2.5 (Box 3) WDHW2.5 (Box 4)	6"	2.5"	20,000 LBS	Weigh Safe Weight Distribution System with Tongue Weight Gauge Weight Distribution Slider for 2.5" Shank Drawbar (includes SWS03) 2 x Weight Distribution Large Bars for 2.5 inch Slider w/ (1) Lift Arm Weight Distribution 6 inch Drop 2.5 inch Shank Drawbar Weight Distribution Hardware, 2 x A-Frame Brackets, 2-5/16" Tow Ball
WSWD8-2 (Master Part) WDSL2 (Box 1) WDBSMLA (Box 2) WDDb8-2 (Box 3) WDHW2 (Box 4)	8"	2"	15,000 LBS	Weigh Safe Weight Distribution System with Tongue Weight Gauge Weight Distribution Slider for 2" Shank Drawbar (includes SWS03) 2 x Weight Distribution Small Bars for 2 inch Slider w/ (1) Lift Arm Weight Distribution 8 inch Drop 2 inch Shank Drawbar Weight Distribution Hardware, 2 x A-Frame Brackets, 2-5/16" Tow Ball
WSWD8-2.5 (Master Part) WDSL2.5 (Box 1) WDBLGLA (Box 2) WDDb8-2.5 (Box 3) WDHW2.5 (Box 4)	8"	2.5"	20,000 LBS	Weigh Safe Weight Distribution System with Tongue Weight Gauge Weight Distribution Slider for 2.5" Shank Drawbar (includes SWS03) 2 x Weight Distribution Large Bars for 2.5 inch Slider w/ (1) Lift Arm Weight Distribution 8 inch Drop 2.5 inch Shank Drawbar Weight Distribution Hardware, 2 x A-Frame Brackets, 2-5/16" Tow Ball

TOW FEATURES



EXTENDED SLEEK DESIGN

Generally gives you the ability to lower your tailgate or open your liftgate without a trailer/-jack interfering.



TRUE DISTRIBUTION

Truly distributes the tongue weight of the trailer between the back axle of the tow vehicle & the axle(s) of the trailer & returns the lost weight off the front axle to provide a safer & smoother ride.



ANTI-SWAY PROPERTIES

Provides anti-sway friction areas to help reduce sway. These areas reside in the sway connection points in the head assembly & trailer bracket connection points.

TRUE TOW STANDARD BALL MOUNT ADAPTER KIT

Converts a weight distribution towing system to a standard adjustable ball mount.



weight distribution towing



standard towing

WDH COMPONENT SKUS/PART NUMBERS

WDH W/ KEYED

ALIKE HITCH

LOCKING PIN

DESCRIPTION

WSWD6-2-KA.....	6" DROP, 2" SHANK W/ MATCHING WS05
WSWD6-2.5-KA.....	6" DROP, 2.5" SHANK W/ MATCHING WS05
WSWD8-2-KA.....	8" DROP, 2" SHANK W/ MATCHING WS05
WSWD8-2.5-KA.....	8" DROP, 2.5" SHANK W/ MATCHING WS05

DRAW BARS

WDD8-2.....	6" DROP, 2" SHANK DRAW BAR
WDD8-2.5.....	6" DROP, 2.5" SHANK DRAW BAR
WDD8-2.....	8" DROP, 2" SHANK DRAW BAR
WDD8-2.5.....	8" DROP, 2.5" SHANK DRAW BAR

HEAD ASSEMBLY

WDSL2.....	WD SLIDER FOR 2" SHANK DRAW BAR
WDSL2.5.....	WD SLIDER FOR 2.5" SHANK DRAW BAR

LIFT ARM

WDLA.....	WEIGHT DISTRIBUTION LIFT ARM
-----------	------------------------------

ADAPTER KITS

SWS05.....	STEEL WS SLIDER, BALL PIN, 2" TOW BALL
SWS07.....	STEEL WS SLIDER, BALL PIN, 2-5/16" TOW BALL
SWS09.....	STEEL WS SLIDER, BALL PIN, 2" & 2-5/16" TOW BALLS
SWS11.....	STEEL WS SLIDER, BALL PIN, 2" TOW BALL & CLAMSHELL

TOW BALLS DESCRIPTION

WSB-XL.....	2" SS TOW BALL (8K MAX GTW)
WSB-XXL15.....	2-5/16" SS BALL FOR 2" SHANK WD (15K MAX GTW)
WSB-XXL20.....	2-5/16" SS BALL FOR 2.5" SHANK WD (20K MAX GTW)

BRACKETS

WDBR.....	WD BRACKET SET (2 X HARDWARE + BRACKETS)
WDBR1.....	WD BRACKET SET (1 X HARDWARE + BRACKET)

HARDWARE

WDHW2.....	BRACKETS, HARDWARE, WSB-XXL15 (2-5/16" BALL)
WDHW2.5.....	BRACKETS, HARDWARE, WSB-XXL20 (2-5/16" BALL)
WDHW-02.....	BRACKETS, HARDWARE, WSB-XL (2" BALL)

SPRING ARMS

WDBSM.....	(2) SMALL BARS FOR 2" SLIDER
WDBLG.....	(2) LARGE BARS FOR 2.5" SLIDER

QUICK LINKS

WDQL.....	2 X WD 3/8" QUICK LINK CHAIN EXTENDER 16K MAX GTW
-----------	--

Weigh Safe Drop Hitch

The patented Weigh Safe Adjustable Ball Mount is the ONLY ball mount in the industry that has a built-in scale to measure tongue weight. With components made of 6061 aircraft grade aluminum and stainless steel tow balls, this ball mount will offer you "Towing Peace of Mind" with every towing journey.

AVAILABLE SIZES

Shank Sizes & Gross Trailer Weight Ratings



Drop Lengths



Optional keyed alike Hitch Locking Pin
(See "Keyed Alike" SKUS below)

2" stainless steel tow ball included



Dual Pin Key Lock Assembly (WS03) to secure product



Dust Lock Cover (WS08)

Built-in scale measures tongue weight



2-5/16" stainless steel tow ball included



PRODUCT VIDEO

PART # (SKU)	DROP	SHANK	KEYED ALIKE
WS4-2	4"	2"	WS4-2-KA
WS4-2.5	4"	2.5"	WS4-2.5-KA
WS6-2	6"	2"	WS6-2-KA
WS6-2.5	6"	2.5"	WS6-2.5-KA
WS6-3	6"	3"	WS6-3-KA
WS8-2	8"	2"	WS8-2-KA
WS8-2.5	8"	2.5"	WS8-2.5-KA
WS8-3	8"	3"	WS8-3-KA
WS10-2	10"	2"	WS10-2-KA
WS10-2.5	10"	2.5"	WS10-2.5-KA
WS10-3	10"	3"	WS10-3-KA



Stow when not in use!
***Except 3" shank sizes



Also available in black cerakote aluminum!

Steel Weigh Safe Drop Hitch

Along with the classic aluminum Weigh Safe Drop Hitch, the newly released STEEL Weigh Safe Adjustable Ball Mount provides "Towing Peace of Mind" with a high-grade steel construction and stainless steel tow balls, the Steel Weigh Safe Drop Hitch will get the job done!

AVAILABLE SIZES

Shank Sizes & Gross Trailer Weight Ratings



Drop Lengths



Optional keyed alike Hitch Locking Pin
(See "Keyed Alike" SKUS below)

PART # (SKU)	DROP	SHANK	KEYED ALIKE
SWS6-2	6"	2"	SWS6-2-KA
SWS6-2.5	6"	2.5"	SWS6-2.5-KA
SWS8-2	8"	2"	SWS8-2-KA
SWS8-2.5	8"	2.5"	SWS8-2.5-KA

NOT COMPATIBLE WITH ANY ALUMINUM COMPONENTS! DRAW BAR NOT COMPATIBLE WITH WEIGHT DISTRIBUTION.



Dual Pin Key Lock Assembly (WS03) to secure product

2" Stainless Steel tow ball included



Dust Lock Cover (WS08)



Built-in scale measures tongue weight



2-5/16" stainless steel tow ball included

PRODUCT VIDEO ▶



Complete hook-up.



Stow when not in use!

180 Drop Hitch

Stainless Steel Tow Balls

The 180 Hitch by Weigh Safe is the definition of adaptability and ease. Made of aircraft grade 6061 aluminum, available in stainless steel or chrome-plated combo balls!

AVAILABLE SIZES

Shank Sizes & Gross Trailer Weight Ratings



Drop Lengths



Optional keyed alike Hitch Locking Pin
(See "Keyed Alike" SKUs below)

PART # (SKU)	DROP	SHANK	KEYED ALIKE
LTB4-2	4"	2"	LTB4-2-KA
LTB4-2.5	4"	2.5"	LTB4-2.5-KA
LTB6-2	6"	2"	LTB6-2-KA
LTB6-2.5	6"	2.5"	LTB6-2.5-KA
LTB6-3	6"	3"	LTB6-3-KA
LTB8-2	8"	2"	LTB8-2-KA
LTB8-2.5	8"	2.5"	LTB8-2.5-KA
LTB8-3	8"	3"	LTB8-3-KA
LTB10-2	10"	2"	LTB10-2-KA
LTB10-2.5	10"	2.5"	LTB10-2.5-KA
LTB10-3	10"	3"	LTB10-3-KA

Dual Pin Key Lock Assembly (WS03) to secure product



PRODUCT VIDEO

Also available in a 1-7/8 x 2" combo

Stainless Steel Combo Ball
2" & 2-5/16" tow balls



Stow when not in use!
***Except 4" drop lengths and 3" shank sizes



Also available in Black Cerakote Aluminum

180 Drop Hitch

Chrome-Plated Steel Tow Balls

AVAILABLE SIZES

Shank Sizes & Gross Trailer Weight Ratings



Drop Lengths



**CERAKOTE
PRODUCT
VIDEO**

Dust Lock Cover (WS08)



Dual Pin Key Lock Assembly (WS03) to secure product



Optional keyed alike Hitch Locking Pin
(See "Keyed Alike" SKUS below)

PART # (SKU)	DROP	SHANK	KEYED ALIKE
CTB4-2	4"	2"	CTB4-2-KA
CTB4-2.5	4"	2.5"	CTB4-2.5-KA
CTB6-2	6"	2"	CTB6-2-KA
CTB6-2.5	6"	2.5"	CTB6-2.5-KA
CTB6-3	6"	3"	CTB6-3-KA
CTB8-2	8"	2"	CTB8-2-KA
CTB8-2.5	8"	2.5"	CTB8-2.5-KA
CTB8-3	8"	3"	CTB8-3-KA
CTB10-2	10"	2"	CTB10-2-KA
CTB10-2.5	10"	2.5"	CTB10-2.5-KA
CTB10-3	10"	3"	CTB10-3-KA



Also available in a 1-7/8 x 2" combo

Chrome-Plated Steel Combo Ball
2" & 2-5/16" tow balls



Stow when not in use!
***Except 4" drop lengths and 3" shank sizes



Also available in Black Cerakoted Aluminum

Fixed Height Ball Mount

The Weigh Safe Fixed Height Ball Mount has a 2" drop and is designed to function with any 2" receivers. It is available with our Fixed Height 2" Tow Ball and Clam Shell converter, but is also compatible with other tow balls on the market.



STB01 - Fixed Height 2" Stainless Steel Tow Ball



WS07 - 2" to 2-5/16" Clam Shell converter



PRODUCT VIDEO

PART # (SKU)	
WSFH2-2	(Just the ball mount)
WSFH2-2-01	(2" tow ball included)
WSFH2-2-07	(2" tow ball + clam-shell included)

SHANK	GTWR
2"	10K
2"	10K
2"	10K

Universal Tow Ball

Every Universal Tow Ball is equipped with a built-in scale to measure tongue weight. Made of stainless steel, the Universal Tow Ball is available in a 2" ball or a 2" ball with our Weigh Safe Clam Shell converter.



PRODUCT VIDEO



PART # (SKU)	SIZE	CLAM SHELL(WS07)	GTWR
WSUN-1	2" Ball	Included	10K
WSUN-2	2" Ball	Sold Separately	10K

CLAM SHELL CONVERTER



PRODUCT
VIDEO

This stainless steel Clam Shell converts most 2" tow balls into a 2-5/16" tow ball and can be used on most bumper pull systems. With its free rotation design, this must-have accessory has been created to have a free rotation around the tow ball which will minimize friction wear and increase the longevity of your Clam Shell. The conservative design is meant to minimize weight and increase the ease of use. You can store this accessory in your glove box or under the seat, eliminating the need of heavy, awkward additional tow balls.



PART # (SKU)
WS07

ACCESSORIES

All of our Weigh Safe locks can be keyed alike to your Weigh Safe hitch so that you can have one key for everything!

***Complete **Weigh Safe Keyed Alike Lock Set** also available (WS15). Includes (1) WS03, (1) WS05, (1) WS11 and (1) WS12.

- A. Stainless Steel Tow Balls** (WSB-L) (WSB-XL) (WSB-XXL)
Only compatible with the Weigh Safe Drop Hitch; not compatible with the 180 Drop Hitch.

B. Tow Ball Storage Bag (WS18)
Plastic lined, pleather bag to store your Weigh Safe tow ball or clamshell designed to reduce dirt, grease and grime.

C. Padlock (WS12)
Constructed of hardened steel.

D. Dust Lock Cover (WS08)
Durable rubber designed to keep debris out of your dual pin key lock assembly.

E. Adjustable Trailer Coupler Lock (WS11)
Constructed of stainless steel; 4 1/2" long and 1/4" in diameter.

F. Dual Pin Key Lock Assembly (WS03)
Secures the slider to the draw bar for reliable security. Available in aluminum, black cerakote aluminum and black powder coated steel.

G. Hitch Locking Pin (WS05)
Constructed of solid stainless steel and fits 2", 2.5" and 3" receiver sizes

About Weigh Safe



Weigh Safe, LLC is a Lindon, Utah based company focused on delivering the safest and highest quality products in the towing industry. Our Weigh Safe Team is committed to providing state-of-the-art towing equipment to ensure "Towing Peace of Mind" for both families and businesses across the globe. We have and will continue to work hard to improve and enhance the towing industry, ensuring that ALL of us can have towing tools and equipment that provide a safer high-performing experience at work and home, and enjoying the many awesome adventures that towing provides us! With a future full of innovation, we are prepared to change the way people tow.



▲
**ABOUT US
VIDEO**

The Man Behind the Hitches

Kevin McAllister (1961-2018)

Kevin McAllister gained national attention when he won the 2014 Best New Product of Tools and Equipment at the SEMA Show in Las Vegas for his tongue weighing trailer hitch, Weigh Safe. However, McAllister was making a difference long before he thought of the innovative Weigh Safe Adjustable Ball Mount.

Through the years McAllister has accumulated 14 individual U.S. patents for an array of novel innovations. These patents span the breadth of the automotive industry, yet share a single goal: safety. The Weigh Safe Adjustable Ball Mount is the pinnacle of McAllister's professional achievements as it quickly grows to be one of the most popular towing accessories in the United States. It took over a decade of research and development to perfect the design, "Towing Peace of Mind."

Today, our Weigh Safe Team is hard at work continually developing new innovations to ensure that our products are among the safest and highest quality in the towing industry. The Safe Load Fifth Wheel Hitch and the Weigh Safe Pintle Attachment are just a few of the new products that Weigh Safe has designed. In the upcoming years, Weigh Safe plans on releasing many more products that will change the towing and automotive industry forever.

Since the unveiling of the Weigh Safe Adjustable Ball Mount, we have expanded into all 50 states and even Australia and Europe. With our state-of-the-art products, skilled and dedicated team, and desire to help people tow safely and properly, Weigh Safe has now become a dominant force in the towing industry.





Warranty Information

At Weigh Safe, we carefully inspect every product before it goes out the door and believe they will live up to your high expectations. We are confident that our products will provide you with the "Towing Peace of Mind" that you desire and help you in your towing journey. However, if you feel that our product doesn't match the Weigh Safe standards, we want to make it right.

If your Weigh Safe product is damaged due to an accident or mishandling of your doing, we would love to hear from you and try our best to assist in resolving the issue at hand. In the towing industry we know that it's impossible to keep your product in perfect condition and with jobs that need to be done and trailers that need to be towed, our products will age with normal wear and tear.

The built-in scales on the majority of our products do not require any maintenance, but a few of our products do. If you maintain your products and ONLY use them as they are intended, you will get many years of use and "Towing Peace of Mind".

Visit our website to register your product or call/text 801.820.7020 for more information.

**Thank you and enjoy
your Weigh Safe product!**

**SCAN TO
REGISTER
YOUR
PRODUCT**





Additional SKUs

CERAKOTE SKUS

WEIGH SAFE

WS4-2-CER-BLA
WS4-2.5-CER-BLA
WS6-2-CER-BLA
WS6-2.5-CER-BLA
WS6-3-CER-BLA
WS8-2-CER-BLA
WS8-2.5-CER-BLA
WS8-3-CER-BLA
WS10-2-CER-BLA
WS10-2.5-CER-BLA
WS10-3-CER-BLA

WEIGH SAFE KEYED ALIKE

WS4-2-KA-CER-BLA
WS4-2.5-KA-CER-BLA
WS6-2-KA-CER-BLA
WS6-2.5-KA-CER-BLA
WS6-3-KA-CER-BLA
WS8-2-KA-CER-BLA
WS8-2.5-KA-CER-BLA
WS8-3-KA-CER-BLA
WS10-2-KA-CER-BLA
WS10-2.5-KA-CER-BLA
WS10-3-KA-CER-BLA

180-STAINLESS STEEL TOW BALLS

LTB4-2-CER-BLA
LTB4-2.5-CER-BLA
LTB6-2-CER-BLA
LTB6-2.5-CER-BLA
LTB6-3-CER-BLA
LTB8-2-CER-BLA
LTB8-2.5-CER-BLA
LTB8-3-CER-BLA
LTB10-2-CER-BLA
LTB10-2.5-CER-BLA
LTB10-3-CER-BLA

180-STAINLESS STEEL TOW BALLS KEYED ALIKE

LTB4-2-KA-CER-BLA
LTB4-2.5-KA-CER-BLA
LTB6-2-KA-CER-BLA
LTB6-2.5-KA-CER-BLA
LTB6-3-KA-CER-BLA
LTB8-2-KA-CER-BLA
LTB8-2.5-KA-CER-BLA
LTB8-3-KA-CER-BLA
LTB10-2-KA-CER-BLA
LTB10-2.5-KA-CER-BLA
LTB10-3-KA-CER-BLA

180-CHROME PLATED TOW BALLS

CTB4-2-CER-BLA
CTB4-2.5-CER-BLA
CTB6-2-CER-BLA
CTB6-2.5-CER-BLA
CTB6-3-CER-BLA
CTB8-2-CER-BLA
CTB8-2.5-CER-BLA
CTB8-3-CER-BLA
CTB10-2-CER-BLA
CTB10-2.5-CER-BLA
CTB10-3-CER-BLA

180-CHROME PLATED TOW BALLS KEYED ALIKE

CTB4-2-KA-CER-BLA
CTB4-2.5-KA-CER-BLA
CTB6-2-KA-CER-BLA
CTB6-2.5-KA-CER-BLA
CTB6-3-KA-CER-BLA
CTB8-2-KA-CER-BLA
CTB8-2.5-KA-CER-BLA
CTB8-3-KA-CER-BLA
CTB10-2-KA-CER-BLA
CTB10-2.5-KA-CER-BLA
CTB10-3-KA-CER-BLA

SLIDERS

WS01..... WS BRUSHED ALUMINUM 1,500 LB GAUGE
WS01.5..... WS BRUSHED ALUMINUM 2,200 LB GAUGE
TB01..... 180 BRUSHED ALUMINUM
WS01-CER-BLA..... WS CERAKOTE ALUMINUM 1,500 LB GAUGE
WS01.5-CER-BLA..... WS CERAKOTE ALUMINUM 2,200 LB GAUGE
TB01-CER-BLA..... 180 CERAKOTE ALUMINUM
SWS01..... WS STEEL 1,500 LB GAUGE
SWS01.5..... WS STEEL 2,200 LB GAUGE

DRAW BARS

ALUMINUM
DB4-2
DB4-2.5
DB6-2
DB6-2.5
DB6-3
DB8-2
DB8-2.5
DB8-3
DB10-2
DB10-2.5
DB10-3

CERAKOTE
DB4-2-CER-BLA
DB4-2.5-CER-BLA
DB6-2-CER-BLA
DB6-2.5-CER-BLA
DB6-3-CER-BLA
DB8-2-CER-BLA
DB8-2.5-CER-BLA
DB8-3-CER-BLA
DB10-2-CER-BLA
DB10-2.5-CER-BLA
DB10-3-CER-BLA

STEEL
SDB6-2
SDB6-2.5
SDB8-2
SDB8-2.5

LOCKS

WS03..... BRUSHED ALUMINUM DUAL PIN KEY LOCK
SWS03..... STEEL DUAL PIN KEY LOCK
WS03-CER-BLA..... CERAKOTE ALUMINUM DUAL PIN KEY LOCK
WS04..... ALUMINUM WS BALL RETAINING PIN
SWS04..... STEEL WS BALL RETAINING PIN
WS05..... HITCH LOCKING PIN
WS08..... DUST LOCK COVER
WS09..... KEYS
WS10..... HITCH LOCKING PIN DUST LOCK COVER
WS11..... ADJUSTABLE COUPLER LOCK
WS12..... PADLOCK
TB04..... 180 BALL RETAINING PIN
TB05..... COTTER PIN LOCK PLATE

TOW BALLS

WSB-L..... 1-7/8" STAINLESS STEEL WS TOW BALL
WSB-XL..... 2" STAINLESS STEEL WS TOW BALL
WSB-XXL12.5..... 2-5/16" STAINLESS STEEL WS TOW BALL (2" SHANK)
WSB-XXL18.5..... 2-5/16" STAINLESS STEEL WS TOW BALL (2.5" SHANK)
WSB-XXL21..... 2-5/16" STAINLESS STEEL WS TOW BALL (3" SHANK)
TB03..... 1-7/8" X 2" 180 STAINLESS STEEL BALL COMBO
TB02..... 2" X 2-5/16" 180 STAINLESS STEEL BALL COMBO (2.5" SHANK)
TB07..... 2" X 2-5/16" 180 STAINLESS STEEL BALL COMBO (2" SHANK)
TB08..... 2" X 2-5/16" 180 STAINLESS STEEL BALL COMBO (3" SHANK)
TB10..... 2" X 2-5/16" 180 CHROME PLATED BALL COMBO (2" SHANK)
TB11..... 2" X 2-5/16" 180 CHROME PLATED BALL COMBO (2.5" SHANK)
TB12..... 2" X 2-5/16" 180 CHROME PLATED BALL COMBO (3" SHANK)
STB01..... FIXED HEIGHT 2" STAINLESS STEEL TOW BALL
WS07..... CLAMSHELL CONVERTER
WS18..... WS TOW BALL STORAGE BAG



Promotional & Marketing Material

Available POP Display Stands



Large Red POP

Houses (8) units + accessories
Part #: WSPOP-XL
Dimensions: 21.45 x 50 x 53.4"



Regular Red POP

Houses (4) units + accessories
Part #: WSPOP-HS
Dimensions: 25.75 x 55.5 x 20.5"



Weight Distribution POP

Houses (1) WD unit
Part #: WSPOP-WD
Dimensions: 33 x 51 x 28.25"



End Cap POP

Houses (4) units + accessories
Part #: WSPOP-EC
Dimensions: 12.5 x 48 x 9.36"



Countertop POP

Houses (1) 6" drop/2" shank
unit + accessories
Part #: WSPOP-CT
Dimensions: 7.85 x 18.5 x 21.3"

Other Promotional Material



Scan this QR code to see
other promotional material
(i.e. brochures, counter mats)
and for POP instruction guides.

Please contact our sales team for
pricing/availability and any other
questions: sales@weigh-safe.com

Why be **kinda safe?**
When you can be
**Weigh
Safe!**

Weigh Safe, LLC.
420 North Geneva Road
Lindon, Utah 84042

☎ 801.820.7020

✉ support@weigh-safe.com

WWW.WEIGH-SAFE.COM

