

# WEIGH SAFE! TRAILER HITCHES



**TOWING PEACE OF MIND.®**



# WORD ON THE STREET

"Had been towing for several years with no issues and thinking I had it right. Picked up my first Weigh Safe hitch after seeing a few reviews. First time towing with it and getting my tongue weight dialed in, it felt much more under control and comfortable." - Dallas C.

"Great hitch system. Purchased a second one for my truck and absolutely love it! The look is also great! You can't go wrong with Weigh Safe." - Luis O.

"Had the best customer service experience from any company. So polite and helpful." - Keith H.

"It is nice to be able to check the tongue weight every trip without having to drive to a weigh station and calculate it. Best product on the market as far as I am concerned!" - Scott G.

"We only buy Weigh Safe hitches at this point." - Kevin V.

"We have owned a Weigh Safe hitch for 5 years and without a doubt it's the best hitch we have owned." - David R.

"After we received our hitch, I installed it, calibrated it, and went for a drive. We had a side wind that I could not feel. Semis passing us, no movement from our trailer. It made pulling our camper a joy!" - Brian L.




Questions? Call/text us at 801.820.7020 or email us at [customersupport@weigh-safe.com](mailto:customersupport@weigh-safe.com).

# WEIGH SAFE: THE TOWING INDUSTRY'S WAKE-UP CALL

Weigh Safe is the towing industry's wake-up call – the only hitch company that doesn't just promise safety, we prove it. Since 2014, we've been on a mission to eliminate towing's #1 hidden risk: too much tongue weight. With a built-in scale on every hitch, we make the invisible visible so you're never guessing with the lives you're carrying.

Our mission is simple: give every driver the ability to tow with confidence, every mile. Too much tongue weight silently reduces control, increases braking distance, and destroys vehicles – all without a warning light. We believe safety starts where the spec sheet ends – by knowing your tongue weight every time you tow.


While others compete on strength and durability, Weigh Safe delivers industry-leading strength and lasting performance without ever sacrificing safety. Our hitches instantly show your tongue weight – no guesswork, no math, no false sense of security. Because when you know your weight, you protect more than your truck – you protect your family, your investment, and your peace of mind.



Brandon Doman - President/Co-Owner







## WEIGHT DISTRIBUTION

TRUE TOW WEIGHT DISTRIBUTION .....9



## BALL MOUNTS

WEIGH SAFE LINE .....17

180 LINE .....24



## GOOSENECK

SAFE LOAD OEM.....28

SAFE LOAD BW.....28



## RECOVERY & ACCESSORIES

RECOVERY .....30

CLAMSHELL .....32

LOCKS .....33

PLASTICS .....35

DISPLAY STANDS .....37



# GET TO KNOW US!



## BRANDON DOMAN

*[ PRESIDENT / CO-FOUNDER ]*

Brandon Doman is a co-founder of Weigh Safe, established 10 years ago, where he initially wore many hats as the company grew. His foresight in recognizing the demand for trailer safety, which no other trailer hitch company was addressing, has been pivotal in Weigh Safe's success. Today, he continues to be actively involved in Weigh Safe's development, driving innovation and growth.



## BRYCE DOMAN

*[ CO-FOUNDER ]*

Bryce Doman is a co-founder of Weigh Safe, having played a crucial role in its establishment 10 years ago. With a deep commitment to innovation and product development, Bryce remains actively involved in shaping the company's growth and success. His vision and leadership continue to drive Weigh Safe forward.



## MORGAN MCALLISTER

*[ VP OF ENGINEERING ]*

Morgan McAllister is the Vice President of Engineering at Weigh Safe, where he has played a pivotal role for the past eight years. With a deep expertise in engineering and a passion for innovation, Morgan has been key to driving product development and ensuring the highest standards of quality. His leadership continues to shape Weigh Safe's engineering excellence.



## KYLE JOHNSON

*[ SENIOR DIRECTOR OF SALES ]*

Kyle Johnson has been successfully managing the Weigh Safe sales efforts for the past eight years! With a strong focus on driving growth and building lasting client relationships, Kyle brings a wealth of experience and leadership to the company. His dedication to excellence has been instrumental in Weigh Safe's continued success.



## BRAXTON LIERD

*[ BRAND RELATIONS MANAGER ]*

Braxton Lierd has been leading Weigh Safe's influencer and brand partnership efforts for the past four years. With a strong focus on building connections, fostering collaborations, and amplifying our brand presence, Braxton brings energy and expertise to every project. His commitment to cultivating authentic relationships has been key to expanding Weigh Safe's reach and impact.


# TONGUE WEIGHT

## THE KEY TO SAFE TOWING



TONGUE WEIGHT: **TOO MUCH** **GOOD** **TOO LITTLE**

JUST A 12" DIFFERENCE IN PLACEMENT CAN UNBALANCE YOUR LOAD AND...



---

## IMPROPER TOWING ISN'T JUST RISKY—IT'S EXPENSIVE!

---

WHICH IS WHY KNOWING YOUR TONGUE WEIGHT IS NON-NEGOTIABLE.

### ***Big Truck ≠ Safe Towing***

A massive tow rating doesn't protect you from overloaded tongue weight. In seconds, you can push past safe limits — even with the heaviest-duty rigs.

### ***Weigh Safe Changes That.***

Our built-in scale makes tongue weight visible, instant, and effortless to measure. No guesswork. No math. No "hope it's fine."

## ***KNOW YOUR WEIGHT. OWN YOUR SAFETY.***

Protect your truck. Protect your family. Protect your peace of mind.

# TRUE

LIVE ADJUSTMENT SCREW

BUILT-IN GAUGE



# TOW

## WEIGHT DISTRIBUTION



"My Weigh Safe hitch is now fondly called "freight train hitch" because my travel trailer now rolls behind my truck like it's on train tracks. Do not hesitate to buy the Weigh Safe True Tow, it's worth every penny! The engineering and design of the Weigh Safe hitch are world class. When you want the very best for the safety of your family, it's Weigh Safe or bust." - Mark H.

# TRUE TOW


## WEIGHT DISTRIBUTION

*FROM EMPTY OFF THE LOT TO PACKED FOR ADVENTURE...*



**YOUR LOAD CHANGES — AND YOUR HITCH SHOULD TOO.  
ADJUST AS YOU GO WITH THE TRUE TOW WEIGHT DISTRIBUTION!**

**THE ONLY HITCH THAT ADJUSTS AS FAST AS YOUR LOAD CHANGES**




True Tow calculates the exact distribution weight for your tongue weight — and lets you fine-tune it instantly with our Live Adjustment System.

### WHY IT MATTERS

In our field tests, a trailer with an incorrect distribution weight of 2,000 lbs took 243 feet to stop — **30 feet longer** than the same load properly balanced at 3,100 lbs.

The difference comes from the amount of weight distributed: too little or too much shifts the weight off the front axle, slashing brake effectiveness and steering control. Thirty feet at highway speeds is the length of two pickup trucks — and it can be the difference between a close call and a collision.

**Your distribution number isn't fixed — it shifts with every change in your load. True Tow is the only hitch that makes it easy to stay dialed in and safe, every step of the way!**



# TRUE TOW LIVE ADJUSTMENT SYSTEM

The **Live Adjustment System** on the **True Tow Weight Distribution Hitch** is a key feature that sets it apart from traditional weight distribution hitches. This system allows users to fine-tune their setup in real time, ensuring optimal weight distribution and improved towing safety. True Tow Technology makes installation and operation easier, faster and more accurate.

## REAL-TIME ADJUSTABILITY

Unlike traditional hitches that require manual guesswork or trial and error, the Live Adjustment System allows users to fine-tune their weight distribution settings **while the trailer is hooked up**.

## INSTANT FEEDBACK

The True Tow system includes a built-in tongue weight scale that provides instant feedback—eliminating guesswork and ensuring your load is distributed exactly right for safe, confident towing.

## ADAPTIVE PERFORMANCE

This system can be **adjusted on the go**, meaning you can compensate for changes in load distribution, road conditions, or terrain without needing to disassemble or reinstall components.

## PRECISION TUNING

It helps achieve the **ideal balance** between the tow vehicle and trailer, reducing sway, improving braking performance, and ensuring a smoother ride.

The Live Adjustment System makes the True Tow the safest, smartest, and easiest-to-use weight distribution hitch.

# NEW

# LIGHTWEIGHT

**MEET THE TRUE TOW *LIGHTWEIGHT*:**  
**THE LIVE ADJUSTMENT YOU TRUST, IN A LIGHTER, STREAMLINED BUILD.**

## LIVE ADJUSTMENT

Built into the head assembly for fast setup and effort-less adjustments on the go.

## TRUE DISTRIBUTION

Each feature helps ensure accurate, system-wide weight distribution for a safer, smoother tow.



## HEIGHT ADJUSTABILITY

Available in 4", 6", 8", & 10" drop lengths and 2" & 2.5" shank sizes to fit any towing setup!

## OPTIONAL GAUGE UPGRADE

Ensures 10–15% of your GTW is on the tongue and verifies proper load distribution—with an optional built-in gauge upgrade.

## ANTI-SWAY PROPERTIES


**Two** built-in anti-sway points reduce movement from wind or passing vehicles—making towing more comfortable.

**LIGHTWEIGHT**

**6,000 LBS  
10,000 LBS**

\*See Page 39 for part numbers.

### LIVE ADJUSTMENT SYSTEM



13

### 2 POINT ANTI-SWAY



### OPTIONAL WEIGHING TOW BALL UPGRADE



# MIDDLEWEIGHT & HEAVYWEIGHT

## BUILT-IN GAUGE

Measures **tongue weight** to ensure 10-15% of your GTW is on the tongue. Also measures **distribution weight** to confirm the load is properly distributed.

## LIVE ADJUSTMENT

Integrated into the head assembly for quick installation and easy, on-the-go adjustments.

## HEIGHT ADJUSTABILITY

Available in 4", 6", 8", & 10" drop lengths and 2" & 2.5" shank sizes to fit any towing setup!



## ANTI-SWAY PROPERTIES

**Four** anti-sway friction areas to help reduce trailer sway from weather conditions or passing vehicles, creating a smoother and more enjoyable tow!

## TRUE DISTRIBUTION

All of these features aid in giving you a true and accurate distribution across your entire towing system.

## SMARTPHONE APP

A single app that has everything you need to get your hitch setup correctly. Features a calculator that provides your Distributed Tongue Weight for a truly distributed system.


## MIDDLEWEIGHT

8,500 LBS  
12,500 LBS


## HEAVYWEIGHT

18,500 LBS  
22,000 LBS

\*See Page 39 for part numbers.



## BUILT-IN GAUGE



## 4 POINT ANTI-SWAY



## LIVE ADJUSTMENT SYSTEM

# SIMPLE SETUP



**STEP 1** SET HEAD ASSEMBLY HEIGHT



**STEP 2** INSTALL BRACKETS + PLATFORMS



**STEP 3** ATTACH SPRING ARMS & LOAD TRAILER ONTO BALL



**STEP 4** CONNECT SPRING ARMS



**STEP 5** ADJUST LEAD SCREW UNTIL GAUGE READS DTW




**STEP 6** FINAL CHECKS

# TOW WITH CONFIDENCE!



\* This guide is a simplified version of the True Tow Weight Distribution Hitch installation process. Refer to Owner's Manual for detailed instructions to ensure safe towing.



# BALL MOUNTS



# WEIGH SAFE

## PRODUCT LINE

***THE #1 HIDDEN DANGER IN TOWING – SOLVED***

### WHY TONGUE WEIGHT MATTERS

- ◆ **Too Little Tongue Weight:** Causes dangerous sway, unstable steering, and loss of control.
- ◆ **Too Much Tongue Weight:** Quietly overloads your hitch and vehicle – increasing stopping distances, reducing steering control, and wearing out suspension, brakes, and tires. This can cost thousands in repairs over time.
- ◆ Tongue weight should be **10-15%** of your Gross Trailer Weight (GTW)
- ◆ We are finding that most people tow with the wrong tongue weight.

### KEY FEATURES

- ◆ **Built-in Gauge** – Instantly shows your tongue weight so you can adjust before you go.
- ◆ **Swap Tow Balls in Seconds** – Quickly switch between 2" and 2 5/16" tow balls for the perfect fit on any trailer.
- ◆ **Ultimate Versatility** – Easily adjust height for perfect load balance.
- ◆ **Secure Your Setup** – Multiple keyed-alike lock options keep your investment safe.

# ALUMINUM WEIGH SAFE HITCH



## AVAILABLE SIZES & RATINGS

DROPS  
4" | 6" | 8" | 10"

2" SHANK	12,500 LBS GTW
2.5" SHANK	18,500 LBS GTW
3" SHANK	21,000 LBS GTW



\*See Page 40 for part numbers.




# STEEL WEIGH SAFE HITCH



## AVAILABLE SIZES & RATINGS

<b>DROPS</b>	<b>2" SHANK</b>	<b>15,000 LBS GTW</b>
<b>6"   8"</b>	<b>2.5" SHANK</b>	<b>22,000 LBS GTW</b>
	<b>3" SHANK</b>	<b>22,000 LBS GTW</b>

\*See Page 41 for part numbers.




# STEEL PINTLE HITCH



## AVAILABLE SIZES & RATINGS

DROPS 6"   8"	2" SHANK	15,000 LBS GTW
	2.5" SHANK	22,000 LBS GTW
	3" SHANK	22,000 LBS GTW

\*See Page 41 for part numbers.



# STEEL AERO HITCH



## AVAILABLE SIZES & RATINGS

DROPS

2" SHANK | 12,500 LBS GTW

4" | 6" | 8" | 10"



\*See Page 41 for part numbers.




# STINGER

# NEW

## MEET THE STINGER: PREMIUM FEATURES, PRACTICAL PRICE

Our all new, versatile weighing platform hitch designed to measure tongue weight across any towing setup.



### AVAILABLE SIZES & RATINGS

DROPS


2"

2" SHANK | 10,000 LBS GTW

\*See Page 40 for part numbers.



# ALUMINUM FIXED HEIGHT



## AVAILABLE SIZES & RATINGS

DROPS

2"

2" SHANK | 10,000 LBS GTW



\*See Page 40 for part numbers.





# 180


## PRODUCT LINE

***THE DEFINITION OF EASE & ADAPTABILITY***

### KEY FEATURES

- ◆ **Dual-Sided Combo Ball** – Tow multiple trailers with one hitch by choosing 2" & 2 5/16" or 1 7/8" & 2" ball combo options.
- ◆ **Quick Switch Design** – Flip the slider 180° to change ball sizes in seconds — no tools, no hassle.
- ◆ **Adjustable Drop or Rise** – Easily level your trailer for smoother, safer towing on any vehicle.
- ◆ **Lock It & Leave It** – Optional keyed-alike locks secure your hitch and trailer with one key.



# ALUMINUM 180 HITCH



## AVAILABLE SIZES & RATINGS

DROPS	
4"   6"   8"   10"	2" SHANK   <b>12,500 LBS</b> GTW
	2.5" SHANK   <b>18,500 LBS</b> GTW
	3" SHANK   <b>21,000 LBS</b> GTW

\*See Page 41 for part numbers.



# STEEL 180 PRO HITCH



## AVAILABLE SIZES & RATINGS

DROPS


6" | 8"

2" SHANK | **15,000 LBS** GTW  
2.5" SHANK | **25,000 LBS** GTW




\*See Page 42 for part numbers.





# SAFE LOAD.<sup>®</sup> GOOSENECK

# SAFE LOAD OEM BALL



**CARRYING CASE**

**BUILT-IN GAUGE**

**2 5/16" STAINLESS STEEL TOW BALL**

**GENERIC CHAIN ANCHOR PUCKS**

**RUBBER DUST COVER**

**KEY LOCK**

**RAM CHAIN ANCHOR PUCKS**

**RATINGS**

**30,000 LBS**  
GROSS TRAILER WT.

**7,500 LBS**  
MAX VERTICAL WT.



# SAFE LOAD BW BALL

**CARRYING CASE**

**2 5/16" STAINLESS STEEL TOW BALL**

**RUBBER DUST COVER**

**BUILT-IN GAUGE**

**RATINGS**

**30,000 LBS**  
GROSS TRAILER WT.

**7,500 LBS**  
MAX VERTICAL WT.



\*See Page 42 for part numbers.



# RECOVERY





# RECOVERY



## SOFT SHACKLE RING

- ◆ **40,000 LBS** breaking strength
- ◆ 1 3/4" ring diameter
- ◆ Aircraft-grade aluminum
- ◆ Fits 2" vehicle receivers
- ◆ Also available in red & black cerakote



## VEHICLE HOOK

- ◆ **25,000 LBS** breaking strength
- ◆ 1 1/2" hook opening
- ◆ Aircraft-grade aluminum
- ◆ Fits 2" vehicle receivers
- ◆ Also available in red & black cerakote

## HARD SHACKLE

- ◆ **45,000 LBS** breaking strength
- ◆ 4 3/4 ton shackle working load limit
- ◆ Aircraft-grade aluminum
- ◆ Fits 2" vehicle receivers
- ◆ Shackle available in red or black



## KINETIC ROPE & SOFT SHACKLE

- ◆ Premium, heavy-duty nylon
- ◆ Rope available in 20' & 30' lengths & various thickness:
  - ◆ 5/8" diameter | 5,100 lbs breaking strength
  - ◆ 7/8" diameter | 29,300 lbs breaking strength
  - ◆ 1" diameter | 33,900 lbs breaking strength
  - ◆ 1 1/4" diameter | 54,200 lbs breaking strength
- ◆ 1/2" diameter soft shackle | 46,000 lbs breaking strength



\*See Page 42 for part numbers.

# ACCESSORIES





## CLAMSHELL ADAPTER



- ◆ Converts 2" tow ball to 2 5/16"
- ◆ Fits most 2" generic tow balls
- ◆ Stainless steel construction
- ◆ Swivels to reduce wear and tear
- ◆ Max GTW matches 2" tow ball rating
- ◆ Comes with tow ball storage bag



\*See Page 43 for part numbers.

## WEIGHING TOW BALL

- ◆ **Built-In Tongue Weight Scale** – Instantly know your load is safe before you hit the road.
- ◆ **Heavy-Duty Performance** – 10,000 lb GTW rating for reliable towing strength.
- ◆ **Versatile Fit** – Mounts to a standard 1 1/4" tow ball hole.
- ◆ **Ready to Tow** – Includes 2" steel tow ball & Clamshell Adapter for quick swaps.
- ◆ **Fast, Simple Setup** – Installs easily on most existing tow platforms.



\*See Page 43 for part numbers.

**NEW**




# LOCKS



## KEYED-ALIKE LOCKS

ONE KEY FOR EVERYTHING!



### A. PADLOCK (WS12)

Constructed of hardened steel; 3" overall height & 1/4" shackle diameter.

### B. DUAL PIN KEY LOCK ASSEMBLY (WS03)

Secures the slider to the draw bar. Available in aluminum (WS03), black Cerakote aluminum (WS03-CER-BLA) and black powder-coated steel (SWS03).

### C. TRAILER COUPLER LATCH LOCK (WS11)

Locks the trailer coupler latch. Notched design with 1/2" increments allows fitment on various trailers. Constructed of stainless steel; 4 1/2" long and 1/4" diameter.

### D. HITCH LOCKING PIN (WS05)

Locks entire hitch to towing vehicle. Constructed of solid stainless steel and fits 2", 2.5" and most 3" receiver sizes. Pin is 3 1/2" long with 5/8" diameter.

### E. TRAILER COUPLER BALL LOCK (WS22)

Fits into trailer coupler and locks when not in use. Constructed of aircraft-grade aluminum & hardened steel. Notched design ensures a secure fit to any trailer.


\*See Page 43 for full part numbers.

# ACCESSORIES



## WEIGH SAFE STORAGE CASE

- ◆ Fits **aluminum AND steel hitches**  
(\*Does NOT fit the Aero Hitch)
- ◆ Store all your hitch gear in one place
- ◆ Comes with plastic inserts to fit any size (2", 2.5", 3" shanks and 4", 6", 8", 10" drops)



## ANTI-RATTLE RECEIVER REDUCER

- ◆ Reduces 2.5" receiver size to 2" size
- ◆ Anti-rattle built in to minimize rattling & thumping while towing
- ◆ Vertical or horizontal use



## TAILGATE BUMP STOP

- ◆ Durable rubber design
- ◆ Compatible with **aluminum** Weigh Safe and 180 hitches
- ◆ Designed for GM Multi-Pro Tailgate
- ◆ Protects tailgate from damage & dings
- ◆ Must remove hitch before using Multi-Pro Tailgate



## CERAKOTE RESTORATION WIPE

- ◆ Restores color of ceramic coating
- ◆ Designed for use on cerakote aluminum hitches



\*See Page 43 for part numbers.

# ACCESSORIES

## FLAP JACK

- ◆ **6,000 LB** capacity
- ◆ Lightweight & compact
- ◆ Folds down for easy storage
- ◆ Durable, UV protected, polycarbonate plastic design
- ◆ Comes with carrying case



## WHEEL LEVELING SET

- ◆ **29,000 LB** vehicle rating
- ◆ Curved levelers, chocks, & non-slip mat included
- ◆ Durable, UV protected, high density polyethylene (HDPE) plastic design
- ◆ Comes with carrying case for easy storage



## WHEEL CHOCK

- ◆ **29,000 LB** vehicle rating
- ◆ Lightweight & portable
- ◆ Durable, UV protected, high density polyethylene (HDPE) plastic design
- ◆ Hexagonal grid prevents slipping & shifting



## SHOE SCRAPER

- ◆ **400 LB** capacity
- ◆ Folding design makes it easy to store
- ◆ Durable, UV protected, polycarbonate plastic design
- ◆ Comes with a carrying case



\*See Page 43 for part numbers.

# DRIVE SALES & SAFETY

## PARTNER WITH WEIGH SAFE!



Join the leader in towing safety and innovation. Our premium hitches—featuring built-in tongue weight scales and advanced weight distribution technology—are trusted by truck owners, RVers, contractors, and outdoor adventurers nationwide. As a dealer, you'll offer products your customers are actively seeking, backed by proven performance, premium margins, and the credibility of the Weigh Safe name.

### WHY PARTNER WITH WEIGH SAFE?

- ✓ **Sell a Trusted, High-Demand Brand** – Our patented designs and precision-engineered hitches stand out in the market.
- ✓ **Boost Your Sales & Profits** – High-margin towing solutions that customers actively seek.
- ✓ **Exclusive Dealer Support** – Get marketing materials, product training, and customer service to help drive sales.
- ✓ **Easy Inventory Access** – Our products are available through leading distributors for seamless stocking.
- ✓ **Meet the Demand for Safer Towing** – Customers want better towing solutions, and you can be the one to provide them.

Interested in wholesaling Weigh Safe products? Purchase Weigh Safe product through all major distributors or sign up to become a Weigh Safe dealer today!

### GET STARTED TODAY!



Scan the QR code



Call or text us: 801.820.7020



Email us: [sales@weigh-safe.com](mailto:sales@weigh-safe.com)



Visit [weigh-safe.com](http://weigh-safe.com)



# DISPLAY STANDS

## MAXIMIZE VISIBILITY AND SALES!

Showcase Weigh Safe products with our premium Point-of-Purchase (POP) Stands. Designed for retail impact, these displays highlight our innovative towing solutions while keeping your space organized and professional.

### REGULAR POP

Holds (4) units + accessories  
Part #: **WSPOP-HS**  
DIM: 25.75" x 55.5" x 20.5"



### LARGE RED POP

Holds (8) units + accessories  
Part #: **WSPOP-XL**  
DIM: 21.45" x 50" x 53.4"



### WEIGHT DISTRIBUTION POP

Holds (2) WD units  
Part #: **WSPOP-WD**  
DIM: 33" x 51" x 28.25"



### END CAP POP

Holds (4) units + accessories  
Part #: **WSPOP-EC**  
DIM: 12.5" x 48" x 9.36"



### COUNTER TOP POP

Holds (1) 6" drop/2" shank unit + accessories  
Part #: **WSPOP-CT**  
DIM: 7.85" x 18.5" x 21.3"



## START BOOSTING SALES TODAY!

Contact our sales team for pricing, availability and any other questions at [sales@weigh-safe.com](mailto:sales@weigh-safe.com).

## OTHER PROMOTIONAL MATERIAL



Scan for brochures, counter mats, and instruction guides

# GUARANTEED FOR THE LONG HAUL

## WEIGH SAFE'S WARRANTY

Our warranty covers defects in material and workmanship for as long as you own the product.

- ✓ Limited Lifetime Warranty
- 🔧 Free Gauge Repairs
- ☎ Dedicated Customer Support
- 🛡️ Quality You Can Trust

Our warranty excludes normal wear and tear, finishes, misuse, modifications, and incidental damages. Visit our website to view our full warranty.



## CUSTOMER SUPPORT

Our dedicated customer support team is here to help with any questions, ensuring you have the best towing experience possible—before, during, and after your purchase.

"Outstanding service and fast shipping. I love these people."  
— Jason R.

"The quality of the hitch is second to none and the customer service is first class."  
— Starke C.

"Easy to work with. Quick responses and quality customer service."  
— Kevin D.

Call or text us: 801.820.7020  
Email us: [support@weigh-safe.com](mailto:support@weigh-safe.com)



# PART NUMBERS

## TRUE TOW *LIGHTWEIGHT* FULL UNIT

PART #	DROP	SHANK	MAX GTW	+ WS05	+ WS16
TTLW4-2	4"	2"	6,000 LBS	TTLW4-2-KA	TTLW4-2-SET
TTLW4-2XL	4"	2"	10,000 LBS	TTLW4-2XL-KA	TTLW4-2XL-SET
TTLW6-2	6"	2"	6,000 LBS	TTLW6-2-KA	TTLW6-2-SET
TTLW6-2XL	6"	2"	10,000 LBS	TTLW6-2XL-KA	TTLW6-2XL-SET
TTLW8-2	8"	2"	6,000 LBS	TTLW8-2-KA	TTLW8-2-SET
TTLW8-2XL	8"	2"	10,000 LBS	TTLW8-2XL-KA	TTLW8-2XL-SET
TTLW10-2	10"	2"	6,000 LBS	TTLW10-2-KA	TTLW10-2-SET
TTLW10-2XL	10"	2"	10,000 LBS	TTLW10-2XL-KA	TTLW10-2XL-SET

### PART INFO

#### + WS05

KEYED-ALIKE HITCH PIN

#### + WS16

3 PIECE KEYED-ALIKE LOCK SET:

+ HITCH PIN

+ COUPLER LATCH LOCK

+ PADLOCK

## TRUE TOW *MIDDLEWEIGHT* FULL UNIT

PART #	DROP	SHANK	MAX GTW	+ WS05	+ WS16
TTMW4-2	4"	2"	8,500 LBS	TTMW4-2-KA	TTMW4-2-SET
TTMW4-2XL	4"	2"	12,500 LBS	TTMW4-2XL-KA	TTMW4-2XL-SET
TTMW4-2.5	4"	2.5"	8,500 LBS	TTMW4-2.5-KA	TTMW4-2.5-SET
TTMW4-2.5XL	4"	2.5"	12,500 LBS	TTMW4-2.5XL-KA	TTMW4-2.5XL-SET
TTMW6-2	6"	2"	8,500 LBS	TTMW6-2-KA	TTMW6-2-SET
TTMW6-2XL	6"	2"	12,500 LBS	TTMW6-2XL-KA	TTMW6-2XL-SET
TTMW6-2.5	6"	2.5"	8,500 LBS	TTMW6-2.5-KA	TTMW6-2.5-SET
TTMW6-2.5XL	6"	2.5"	12,500 LBS	TTMW6-2.5XL-KA	TTMW6-2.5XL-SET
TTMW8-2	8"	2"	8,500 LBS	TTMW8-2-KA	TTMW8-2-SET
TTMW8-2XL	8"	2"	12,500 LBS	TTMW8-2XL-KA	TTMW8-2XL-SET
TTMW8-2.5	8"	2.5"	8,500 LBS	TTMW8-2.5-KA	TTMW8-2.5-SET
TTMW8-2.5XL	8"	2.5"	12,500 LBS	TTMW8-2.5XL-KA	TTMW8-2.5XL-SET
TTMW10-2	10"	2"	8,500 LBS	TTMW10-2-KA	TTMW10-2-SET
TTMW10-2XL	10"	2"	12,500 LBS	TTMW10-2XL-KA	TTMW10-2XL-SET
TTMW10-2.5	10"	2.5"	8,500 LBS	TTMW10-2.5-KA	TTMW10-2.5-SET
TTMW10-2.5XL	10"	2.5"	12,500 LBS	TTMW10-2.5XL-KA	TTMW10-2.5XL-SET

## TRUE TOW *HEAVYWEIGHT* FULL UNIT

PART #	DROP	SHANK	MAX GTW	+ WS05	+ WS16
TTHW4-2	4"	2"	18,500 LBS	TTHW4-2-KA	TTHW4-2-SET
TTHW4-2XL	4"	2"	22,000 LBS	TTHW4-2XL-KA	TTHW4-2XL-SET
TTHW4-2.5	4"	2.5"	18,500 LBS	TTHW4-2.5-KA	TTHW4-2.5-SET
TTHW4-2.5XL	4"	2.5"	22,000 LBS	TTHW4-2.5XL-KA	TTHW4-2.5XL-SET
TTHW6-2	6"	2"	18,500 LBS	TTHW6-2-KA	TTHW6-2-SET
TTHW6-2XL	6"	2"	22,000 LBS	TTHW6-2XL-KA	TTHW6-2XL-SET
TTHW6-2.5	6"	2.5"	18,500 LBS	TTHW6-2.5-KA	TTHW6-2.5-SET
TTHW6-2.5XL	6"	2.5"	22,000 LBS	TTHW6-2.5XL-KA	TTHW6-2.5XL-SET
TTHW8-2	8"	2"	18,500 LBS	TTHW8-2-KA	TTHW8-2-SET
TTHW8-2XL	8"	2"	22,000 LBS	TTHW8-2XL-KA	TTHW8-2XL-SET
TTHW8-2.5	8"	2.5"	18,500 LBS	TTHW8-2.5-KA	TTHW8-2.5-SET
TTHW8-2.5XL	8"	2.5"	22,000 LBS	TTHW8-2.5XL-KA	TTHW8-2.5XL-SET
TTHW10-2	10"	2"	18,500 LBS	TTHW10-2-KA	TTHW10-2-SET
TTHW10-2XL	10"	2"	22,000 LBS	TTHW10-2XL-KA	TTHW10-2XL-SET
TTHW10-2.5	10"	2.5"	18,500 LBS	TTHW10-2.5-KA	TTHW10-2.5-SET
TTHW10-2.5XL	10"	2.5"	22,000 LBS	TTHW10-2.5XL-KA	TTHW10-2.5XL-SET

# PART NUMBERS

## MIDDLEWEIGHT + HEAVYWEIGHT COMPONENTS

### DRAW BARS

TTDB4-2	4" DROP, 2" SHANK DRAW BAR
TTDB4-2.5	4" DROP, 2.5" SHANK DRAW BAR
TTDB6-2	6" DROP, 2" SHANK DRAW BAR
TTDB6-2.5	6" DROP, 2.5" SHANK DRAW BAR
TTDB8-2	8" DROP, 2" SHANK DRAW BAR
TTDB8-2.5	8" DROP, 2.5" SHANK DRAW BAR
TTDB10-2	10" DROP, 2" SHANK DRAW BAR
TTDB10-2.5	10" DROP, 2.5" SHANK DRAW BAR

### HEAD ASSEMBLY

TTSL-MLD	SLIDER FOR MW 8.5K & 12.5K UNITS
TTSL-HD	SLIDER FOR HW 18.5K & 22K UNITS

### LIFT ARM

TTLA	MIDDLEWEIGHT LIFT ARM
TTLA-HD	HEAVYWEIGHT LIFT ARM

### BRACKETS

TTBR	MIDDLEWEIGHT BRACKET SET (2 X HARDWARE + BRACKETS)
TTBR-HD	HEAVYWEIGHT BRACKET SET (2 X HARDWARE + BRACKETS)
TTBK-08	BRACKET SET FOR 8" TRAILER FRAMES (2 X HARDWARE + BRACKETS)

### SPRING ARMS

TTSARM-LD	(2) BARS FOR MW 8.5K UNITS
TTSARM-MD	(2) BARS FOR MW 12.5K UNITS
TTSARM-HD	(2) BARS FOR HW 18.5K UNITS
TTSARM-MAX	(2) BARS FOR HW 22K UNITS

## ALUMINUM WEIGH SAFE HITCH

### BRUSHED ALUMINUM WEIGH SAFE

HITCH	DROP / SHANK	+ WS05	+ WS16
WS4-2	4" DROP, 2" SHANK	WS4-2-KA	WS4-2-SET
WS4-2.5	4" DROP, 2.5" SHANK	WS4-2.5-KA	WS4-2.5-SET
WS6-2	6" DROP, 2" SHANK	WS6-2-KA	WS6-2-SET
WS6-2.5	6" DROP, 2.5" SHANK	WS6-2.5-KA	WS6-2.5-SET
WS6-3	6" DROP, 3" SHANK	WS6-3-KA	WS6-3-SET
WS8-2	8" DROP, 2" SHANK	WS8-2-KA	WS8-2-SET
WS8-2.5	8" DROP, 2.5" SHANK	WS8-2.5-KA	WS8-2.5-SET
WS8-3	8" DROP, 3" SHANK	WS8-3-KA	WS8-3-SET
WS10-2	10" DROP, 2" SHANK	WS10-2-KA	WS10-2-SET
WS10-2.5	10" DROP, 2.5" SHANK	WS10-2.5-KA	WS10-2.5-SET
WS10-3	10" DROP, 3" SHANK	WS10-3-KA	WS10-3-SET

### PART INFO

**+ WS05**  
KEYED-ALIKE HITCH PIN

**+ WS16**  
3 PIECE KEYED-ALIKE LOCK SET:  
HITCH PIN + COUPLER LATCH LOCK + PADLOCK

### BLACK CERAKOTE ALUMINUM WEIGH SAFE

HITCH	DROP / SHANK	+ WS05	+ WS16
WS4-2-CER-BLA	4" DROP, 2" SHANK	WS4-2-KA-CER-BLA	WS4-2-SET-CER-BLA
WS4-2.5-CER-BLA	4" DROP, 2.5" SHANK	WS4-2.5-KA-CER-BLA	WS4-2.5-SET-CER-BLA
WS6-2-CER-BLA	6" DROP, 2" SHANK	WS6-2-KA-CER-BLA	WS6-2-SET-CER-BLA
WS6-2.5-CER-BLA	6" DROP, 2.5" SHANK	WS6-2.5-KA-CER-BLA	WS6-2.5-SET-CER-BLA
WS6-3-CER-BLA	6" DROP, 3" SHANK	WS6-3-KA-CER-BLA	WS6-3-SET-CER-BLA
WS8-2-CER-BLA	8" DROP, 2" SHANK	WS8-2-KA-CER-BLA	WS8-2-SET-CER-BLA
WS8-2.5-CER-BLA	8" DROP, 2.5" SHANK	WS8-2.5-KA-CER-BLA	WS8-2.5-SET-CER-BLA
WS8-3-CER-BLA	8" DROP, 3" SHANK	WS8-3-KA-CER-BLA	WS8-3-SET-CER-BLA
WS10-2-CER-BLA	10" DROP, 2" SHANK	WS10-2-KA-CER-BLA	WS10-2-SET-CER-BLA
WS10-2.5-CER-BLA	10" DROP, 2.5" SHANK	WS10-2.5-KA-CER-BLA	WS10-2.5-SET-CER-BLA
WS10-3-CER-BLA	10" DROP, 3" SHANK	WS10-3-KA-CER-BLA	WS10-3-SET-CER-BLA

# PART NUMBERS

## STEEL WEIGH SAFE HITCH

HITCH	DROP / SHANK	+ WS05	+ WS16
SWS6-2	6" DROP, 2" SHANK	SWS6-2-KA	SWS6-2-SET
SWS6-2.5	6" DROP, 2.5" SHANK	SWS6-2.5-KA	SWS6-2.5-SET
SWS6-3	6" DROP, 3" SHANK	SWS6-3-KA	SWS6-3-SET
SWS8-2	8" DROP, 2" SHANK	SWS8-2-KA	SWS8-2-SET
SWS8-2.5	8" DROP, 2.5" SHANK	SWS8-2.5-KA	SWS8-2.5-SET
SWS8-3	8" DROP, 3" SHANK	SWS8-3-KA	SWS8-3-SET

### PART INFO

**+ WS05**  
KEYED-ALIKE HITCH PIN

**+ WS16**  
3 PIECE KEYED-ALIKE LOCK SET:  
HITCH PIN + COUPLER LATCH LOCK + PADLOCK

## STEEL PINTLE HITCH

### PINTLE ATTACHMENT ONLY

HITCH	DROP / SHANK	+ WS05	+ WS16
SWS6-2-PA	6" DROP, 2" SHANK	SWS6-2-PA-KA	SWS6-2-PA-SET
SWS6-2.5-PA	6" DROP, 2.5" SHANK	SWS6-2.5-PA-KA	SWS6-2.5-PA-SET
SWS6-3-PA	6" DROP, 3" SHANK	SWS6-3-PA-KA	SWS6-3-PA-SET
SWS8-2-PA	8" DROP, 2" SHANK	SWS8-2-PA-KA	SWS8-2-PA-SET
SWS8-2.5-PA	8" DROP, 2.5" SHANK	SWS8-2.5-PA-KA	SWS8-2.5-PA-SET
SWS8-3-PA	8" DROP, 3" SHANK	SWS8-3-PA-KA	SWS8-3-PA-SET

### PINTLE ATTACHMENT & 2" + 2 5/16" TOW BALLS

HITCH	DROP / SHANK	+ WS05	+ WS16
SWS6-2-PATB	6" DROP, 2" SHANK	SWS6-2-PATB-KA	SWS6-2-PATB-SET
SWS6-2.5-PATB	6" DROP, 2.5" SHANK	SWS6-2.5-PATB-KA	SWS6-2.5-PATB-SET
SWS6-3-PATB	6" DROP, 3" SHANK	SWS6-3-PATB-KA	SWS6-3-PATB-SET
SWS8-2-PATB	8" DROP, 2" SHANK	SWS8-2-PATB-KA	SWS8-2-PATB-SET
SWS8-2.5-PATB	8" DROP, 2.5" SHANK	SWS8-2.5-PATB-KA	SWS8-2.5-PATB-SET
SWS8-3-PATB	8" DROP, 3" SHANK	SWS8-3-PATB-KA	SWS8-3-PATB-SET

## STEEL AERO HITCH

HITCH	DROP / SHANK	+WS05	+ WS16
AWS4-2	4" DROP, 2" SHANK	AWS4-2-KA	AWS4-2-SET
AWS6-2	6" DROP, 2" SHANK	AWS6-2-KA	AWS6-2-SET
AWS8-2	8" DROP, 2" SHANK	AWS8-2-KA	AWS8-2-SET
AWS10-2	10" DROP, 2" SHANK	AWS10-2-KA	AWS10-2-SET

## STEEL STINGER HITCH

WSS2-2	STINGER (WITHOUT TOW BALL)
WSS2-2-01	STINGER + 2" TOW BALL

## FIXED HEIGHT HITCH

WSFH2-2	FIXED HEIGHT (WITHOUT TOW BALL)
WSFH2-2-01	FIXED HEIGHT + 2" CHROME TOW BALL
WSFH2-2-07	FIXED HEIGHT + 2" CHROME TOW BALL + CLAMSHELL ADAPTER

## ALUMINUM 180 HITCH

### BRUSHED ALUMINUM 180 | STAINLESS STEEL BALL

HITCH	DROP / SHANK	+ WS05	+ WS16
LTB4-2	4" DROP, 2" SHANK	LTB4-2-KA	LTB4-2-SET
LTB4-2.5	4" DROP, 2.5" SHANK	LTB4-2.5-KA	LTB4-2.5-SET
LTB6-2	6" DROP, 2" SHANK	LTB6-2-KA	LTB6-2-SET
LTB6-2.5	6" DROP, 2.5" SHANK	LTB6-2.5-KA	LTB6-2.5-SET
LTB6-3	6" DROP, 3" SHANK	LTB6-3-KA	LTB6-3-SET
LTB8-2	8" DROP, 2" SHANK	LTB8-2-KA	LTB8-2-SET
LTB8-2.5	8" DROP, 2.5" SHANK	LTB8-2.5-KA	LTB8-2.5-SET
LTB8-3	8" DROP, 3" SHANK	LTB8-3-KA	LTB8-3-SET
LTB10-2	10" DROP, 2" SHANK	LTB10-2-KA	LTB10-2-SET
LTB10-2.5	10" DROP, 2.5" SHANK	LTB10-2.5-KA	LTB10-2.5-SET
LTB10-3	10" DROP, 3" SHANK	LTB10-3-KA	LTB10-3-SET

### BRUSHED ALUMINUM 180 | CHROME-PLATED BALL

HITCH	DROP / SHANK	+ WS05	+ WS16
CTB4-2	4" DROP, 2" SHANK	CTB4-2-KA	CTB4-2-SET
CTB4-2.5	4" DROP, 2.5" SHANK	CTB4-2.5-KA	CTB4-2.5-SET
CTB6-2	6" DROP, 2" SHANK	CTB6-2-KA	CTB6-2-SET
CTB6-2.5	6" DROP, 2.5" SHANK	CTB6-2.5-KA	CTB6-2.5-SET
CTB6-3	6" DROP, 3" SHANK	CTB6-3-KA	CTB6-3-SET
CTB8-2	8" DROP, 2" SHANK	CTB8-2-KA	CTB8-2-SET
CTB8-2.5	8" DROP, 2.5" SHANK	CTB8-2.5-KA	CTB8-2.5-SET
CTB8-3	8" DROP, 3" SHANK	CTB8-3-KA	CTB8-3-SET
CTB10-2	10" DROP, 2" SHANK	CTB10-2-KA	CTB10-2-SET
CTB10-2.5	10" DROP, 2.5" SHANK	CTB10-2.5-KA	CTB10-2.5-SET
CTB10-3	10" DROP, 3" SHANK	CTB10-3-KA	CTB10-3-SET

# PART NUMBERS

## ALUMINUM 180 HITCH CONTINUED

### BLACK CERAKOTE ALUMINUM 180 | STAINLESS STEEL COMBO BALL

HITCH	DROP / SHANK	+ WS05	+ WS16
LTB4-2-CER-BLA	4" DROP, 2" SHANK	LTB4-2-KA-CER-BLA	LTB4-2-SET-CER-BLA
LTB4-2.5-CER-BLA	4" DROP, 2.5" SHANK	LTB4-2.5-KA-CER-BLA	LTB4-2.5-SET-CER-BLA
LTB6-2-CER-BLA	6" DROP, 2" SHANK	LTB6-2-KA-CER-BLA	LTB6-2-SET-CER-BLA
LTB6-2.5-CER-BLA	6" DROP, 2.5" SHANK	LTB6-2.5-KA-CER-BLA	LTB6-2.5-SET-CER-BLA
LTB6-3-CER-BLA	6" DROP, 3" SHANK	LTB6-3-KA-CER-BLA	LTB6-3-SET-CER-BLA
LTB8-2-CER-BLA	8" DROP, 2" SHANK	LTB8-2-KA-CER-BLA	LTB8-2-SET-CER-BLA
LTB8-2.5-CER-BLA	8" DROP, 2.5" SHANK	LTB8-2.5-KA-CER-BLA	LTB8-2.5-SET-CER-BLA
LTB8-3-CER-BLA	8" DROP, 3" SHANK	LTB8-3-KA-CER-BLA	LTB8-3-SET-CER-BLA
LTB10-2-CER-BLA	10" DROP, 2" SHANK	LTB10-2-KA-CER-BLA	LTB10-2-SET-CER-BLA
LTB10-2.5-CER-BLA	10" DROP, 2.5" SHANK	LTB10-2.5-KA-CER-BLA	LTB10-2.5-SET-CER-BLA
LTB10-3-CER-BLA	10" DROP, 3" SHANK	LTB10-3-KA-CER-BLA	LTB10-3-SET-CER-BLA

### BLACK CERAKOTE ALUMINUM 180 | CHROME-PLATED COMBO BALL

HITCH	DROP / SHANK	+ WS05	+ WS16
CTB4-2-CER-BLA	4" DROP, 2" SHANK	CTB4-2-KA-CER-BLA	CTB4-2-SET-CER-BLA
CTB4-2.5-CER-BLA	4" DROP, 2.5" SHANK	CTB4-2.5-KA-CER-BLA	CTB4-2.5-SET-CER-BLA
CTB6-2-CER-BLA	6" DROP, 2" SHANK	CTB6-2-KA-CER-BLA	CTB6-2-SET-CER-BLA
CTB6-2.5-CER-BLA	6" DROP, 2.5" SHANK	CTB6-2.5-KA-CER-BLA	CTB6-2.5-SET-CER-BLA
CTB6-3-CER-BLA	6" DROP, 3" SHANK	CTB6-3-KA-CER-BLA	CTB6-3-SET-CER-BLA
CTB8-2-CER-BLA	8" DROP, 2" SHANK	CTB8-2-KA-CER-BLA	CTB8-2-SET-CER-BLA
CTB8-2.5-CER-BLA	8" DROP, 2.5" SHANK	CTB8-2.5-KA-CER-BLA	CTB8-2.5-SET-CER-BLA
CTB8-3-CER-BLA	8" DROP, 3" SHANK	CTB8-3-KA-CER-BLA	CTB8-3-SET-CER-BLA
CTB10-2-CER-BLA	10" DROP, 2" SHANK	CTB10-2-KA-CER-BLA	CTB10-2-SET-CER-BLA
CTB10-2.5-CER-BLA	10" DROP, 2.5" SHANK	CTB10-2.5-KA-CER-BLA	CTB10-2.5-SET-CER-BLA
CTB10-3-CER-BLA	10" DROP, 3" SHANK	CTB10-3-KA-CER-BLA	CTB10-3-SET-CER-BLA

## STEEL 180 PRO HITCH

HITCH	DROP / SHANK	+ WS05	+ WS16
STB6-2	6" DROP, 2" SHANK	STB6-2-KA	STB6-2-SET
STB6-2.5	6" DROP, 2.5" SHANK	STB6-2.5-KA	STB6-2.5-SET
STB8-2	8" DROP, 2" SHANK	STB8-2-KA	STB8-2-SET
STB8-2.5	8" DROP, 2.5" SHANK	STB8-2.5-KA	STB8-2.5-SET

## GOOSENECK HITCHES + COMPONENTS

### GOOSENECK HITCHES

WSOEM	OEM BALL, CARRYING CASE, DUST COVER, KEYS
WSOEMPR	OEM BALL, CARRYING CASE, DUST COVER, KEYS, (2) RAM CHAIN ANCHOR PUCKS (RAM TRUCKS ONLY)
WSOEMPU	OEM BALL, CARRYING CASE, DUST COVER, KEYS, (2) GENERIC CHAIN ANCHOR PUCKS (FORD, GM, CHEVROLET, NISSAN, TOYOTA)
WSBW	BW INSERT BALL, CARRYING CASE, DUST COVER

### GOOSENECK COMPONENTS

WSPU	(2) GENERIC CHAIN ANCHOR PUCKS
WSPR	(2) RAM CHAIN ANCHOR PUCKS

### PART INFO

**+ WS05**  
KEYED-ALIKE HITCH PIN

**+ WS16**  
3 PIECE KEYED-ALIKE LOCK SET:  
+ HITCH PIN  
+ COUPLER LATCH LOCK  
+ PADLOCK

# PART NUMBERS

## RECOVERY

WS-HK	BRUSHED ALUMINUM VEHICLE HOOK
WS-HK-CER-BLA	CERAKOTE BLACK ALUMINUM VEHICLE HOOK
WS-HK-CER-RED	CERAKOTE RED ALUMINUM VEHICLE HOOK
WS-SS	BRUSHED ALUMINUM SOFT SHACKLE RING
WS-SS-CER-BLA	CERAKOTE BLACK ALUMINUM SOFT SHACKLE RING
WS-SS-CER-RED	CERAKOTE RED ALUMINUM SOFT SHACKLE RING
WS-HS-B	ALUMINUM HARD SHACKLE WITH BLACK RING
WS-HS-R	ALUMINUM HARD SHACKLE WITH RED RING
WS29	KINETIC ROPE 5/8" DIAMETER, 20' LENGTH
WS30	KINETIC ROPE 7/8" DIAMETER, 20' LENGTH
WS31	KINETIC ROPE 1" DIAMETER, 30' LENGTH
WS32	KINETIC ROPE 1 1/4" DIAMETER, 30' LENGTH
WS34	1/2" DIAMETER SOFT SHACKLE WITH PROTECTIVE SHEATH

## ACCESSORIES

WS07	CLAMSHELL ADAPTER + STORAGE BAG
WS28	5 PACK CLAMSHELL + DISPLAY BOX
WSARR-2	ANTI-RATTLE RECEIVER REDUCER
WS20	ALUMINUM HITCH POLISHING KIT
WS23	RED STORAGE CASE
WS24	RUBBER TAILGATE BUMP STOP
WSFJ	(1) FLAP JACK + SINGLE CARRYING CASE
WSFJ-2	(2) FLAP JACKS + 2 PACK CARRYING CASE
WSFJ-4	(4) FLAP JACKS + 4 PACK CARRYING CASE
WS-WLS	WHEEL LEVELING SET + CARRYING CASE (WHEELCHOCKS x 2, CRESENT WHEEL LEVELER x 2, RUBBER PAD x 2)
WS-WCS	(2) WHEEL CHOCKS
WSFS	(1) SHOE SCRAPER + CARRYING CASE
WSFJS	(1) FLAP JACK + (1) SHOE SCRAPER + CARRYING CASE

## ADJUSTABLE TRAILER HITCH COMPONENTS

### DRAW BARS

ALUMINUM	CERAKOTE	STEEL	AERO
DB4-2	DB4-2-CER-BLA	SDB6-2	AWSDB4-2
DB4-2.5	DB4-2.5-CER-BLA	SDB6-2.5	AWSDB6-2
DB6-2	DB6-2-CER-BLA	SDB6-3	AWSDB8-2
DB6-2.5	DB6-2.5-CER-BLA	SDB8-2	AWSDB10-2
DB6-3	DB6-3-CER-BLA	SDB8-2.5	
DB8-2	DB8-2-CER-BLA	SDB8-3	
DB8-2.5	DB8-2.5-CER-BLA		
DB8-3	DB8-3-CER-BLA		
DB10-2	DB10-2-CER-BLA		
DB10-2.5	DB10-2.5-CER-BLA		
DB10-3	DB10-3-CER-BLA		

### SLIDERS

WS01	WS BRUSHED ALUMINUM SLIDER
TB01	180 BRUSHED ALUMINUM SLIDER
WS01-CER-BLA	WS CERAKOTE ALUMINUM SLIDER
TB01-CER-BLA	180 CERAKOTE ALUMINUM SLIDER
SWS01	WS STEEL SLIDER
AWS01	AERO HITCH SLIDER W/ TOW BALL
STB02	180 STEEL SLIDER W/ COMBO BALL

### TOW BALLS

WSB-L	1 7/8" STAINLESS STEEL WS TOW BALL
WSB-XL	2" STAINLESS STEEL WS TOW BALL
WSB-XXL	2 5/16" STAINLESS STEEL WS TOW BALL
TB03	1 7/8" x 2" 180 STAINLESS STEEL COMBO BALL
TB09	1 7/8" x 2" 180 CHROME-PLATED STEEL COMBO BALL
LTB-XXL	2" x 2 5/16" 180 STAINLESS STEEL COMBO BALL
CTB-XXL	2" x 2 5/16" 180 CHROME-PLATED STEEL COMBO BALL
GTB02	FIXED HEIGHT 2" CHROME-PLATED STEEL TOW BALL
WS18	WS TOW BALL STORAGE BAG

### LOCKS + PINS

WS03	BRUSHED ALUMINUM DUAL PIN KEY LOCK
SWS03	POWDER-COATED STEEL DUAL PIN KEY LOCK
WS03-CER-BLA	CERAKOTE ALUMINUM DUAL PIN KEY LOCK
WS04	ALUMINUM WS BALL RETAINING PIN
SWS04	STEEL WS BALL RETAINING PIN
WS05	HITCH LOCKING PIN
WS06	HITCH LOCKING PIN + DUAL PIN SLIDER LOCK
WS08	DUAL PIN DUST LOCK COVER
WS09	KEYS
WS10	HITCH LOCKING PIN DUST COVER
WS11	TRAILER COUPLER LATCH LOCK
WS12	QTY 1 PADLOCK
WS13	QTY 2 PADLOCK
WS14	QTY 4 PADLOCK
WS15	COMPLETE KEYED-ALIKE LOCK SET: (1) WS03, (1) WS05, (1) WS11, (1) WS12
WS16	3 PIECE KEYED-ALIKE LOCK SET: (1) WS05, (1) WS11, (1) WS12
WS17	KEYED-ALIKE LOCK SET: (1) WS05, (1) WS11
WS19	KEYED-ALIKE LOCK SET: (1) WS05, (1) WS11, (2) WS13
WS21	COUPLER LATCH LOCK DUST COVER
WS22	TRAILER COUPLER BALL LOCK
WS25	COMPLETE KEYED-ALIKE SET: (1) WS03, (1) WS05, (1) WS11, (1) WS12, (1) WS22
WS26	4 PIECE KEYED-ALIKE LOCK SET: 1) WS05, 1) WS11, (1) WS12, (1) WS22
WS27	KEYED-ALIKE LOCK SET: (1) WS11, (1) WS12, (1) WS22
TB04	180 BALL RETAINING PIN
TB05	ALUMINUM COTTER PIN LOCK PLATE
AWS03	AERO HITCH SLIDER LOCK PIN
AWS05	AERO HITCH RECEIVER PIN WITH COTTER PIN



@cowboycustomdiesel



@builtby\_n8



wanderingweekends

# OUR INFLUENCER FAMILY



@kylecullen



@ak\_ecobeast\_thesquatch



@dallasapla



@tfltruck



@glinesmotorsports

PASSIONATE ABOUT  
TOWING SAFETY?  
LET'S TEAM UP!





**Weigh Safe!**  
TRAILER HITCHES

801.820.7020  
420 N. Geneva Road  
Lindon, Utah 84042  
[weigh-safe.com](http://weigh-safe.com)